

HPD UNIQUE IDENTIFIER: 28107

CLASSIFICATION: 09 72 16.16 Rigid-Sheet Vinyl Wall Coverings

PRODUCT DESCRIPTION: Give your walls a fighting chance with Palladium® Rigid Sheet Wall Protection. Palladium® provides superior impact resistance to keep your walls safe from damage, so you can say goodbye to endless repairs! The non-PVC cover is manufactured with G2 BioBlend®: Inpro's exclusive reformulated PETG made with a corn-based biopolymer

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input checked="" type="radio"/> Material</p> <p><input type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 4 of 4 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

G2 BIOBLEND RESIN [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS] FIRE RETARDANT [UNDISCLOSED NoGS UNDISCLOSED BM-1] DESIGNER WHITE PIGMENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED LT-1 | CAN | END] SLIP AGENT [POLYETHYLENE TEREPHTHALATE GLYCOL (PETG) NoGS UNDISCLOSED NoGS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD utilizes Designer White pigment, however all pigment colors have a similar chemical makeup

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified

Multi-attribute: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2021-11-22

PUBLISHED DATE: 2022-04-05

EXPIRY DATE: 2024-11-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

G2 BIOBLEND RESIN

#: 98.0500 - 98.0500

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this product

OTHER MATERIAL NOTES:

POLYETHYLENE TEREPHTHALATE GLYCOL (PETG)

ID: 25640-14-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-22 7:37:56

#: 72.0000 - 72.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: None

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-22 7:37:59

#: 14.9000 - 14.9000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Propriety according to supplier request

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-22 7:37:59

#: 13.0000 - 13.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Propriety according to supplier request

FIRE RETARDANT

#: 11.8132 - 11.8132

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material

OTHER MATERIAL NOTES: None

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:37:56**

%: **90.0000 - 90.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:37:58**

%: **25.0000 - 25.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary based on supplier information.

DESIGNER WHITE PIGMENT

%: **5.6892 - 5.6892**

MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES: None

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:37:57**%: **63.5000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:37:58**%: **35.0800 - 35.0800** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Propriety according to supplier request

SLIP AGENT%: **3.5400 - 3.5400**MATERIAL THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **No** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:37:55**%: **92.5100 - 92.5100** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-11-22 7:38:00**%: **7.4900 - 7.4900** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Slip agent ingredient. Approximately 7.49% of the slip agent material is listed as Proprietary. The potential human health hazards of this proprietary ingredient are disclosed under the appropriate substance section.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-03-	EXPIRY DATE: 2023-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	12	03-12	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bd0?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 6640-420			

MULTI-ATTRIBUTE	Environmental Product Declaration (EPD) by UL		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-10-	EXPIRY DATE: 2024-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	01	09-30	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1ea7255b0e82d946a4dde?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

INPRO BOND ADHESIVE	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Inpro Bond Adhesive can be used for adhering Palladium® Rigid Sheet firmly to the wall. Inpro Bond is a water-based adhesive that allows for repositioning during installation. It is freeze-thaw stable to allow shipping during any time of the year. Inpro Bond Adhesive is Greenguard Gold certified and has a VOC content of 0.0 g/L	

3M FASTBOND 30 CONTACT CEMENT	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Fastbond 30-NF Contact Adhesive is a water-based, high strength contact adhesive. Use Fastbond to adhere Palladium® Rigid Sheet to your walls. 1 Gallon adheres approximately eleven 4' x 8' sheets. The VOC less H2O & Exempt Solvents content of this product is 80 g/L	

XT-2000+ ADHESIVE	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
XT-2000+ Adhesive can be used for adhering Palladium® Rigid Sheet firmly to the wall. XT-2000+ is a water-based adhesive that allows for repositioning during installation. It is freeze-thaw stable to allow shipping during any time of the year. This product has a VOC content of 0.0 g/L	

FASTFILL™ COLOR MATCHED CAULK	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
Fill gaps between rigid sheet wall protection for a seamless appearance with FastFill™ Color Matched Caulk. FastFill™ is a joint sealant intended for use on Palladium® Rigid Sheet and profile wall covering products. This caulk has a VOC content of 25.0 g/L	

G2 BIOBLEND® RIGID SHEET TRIM	HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/87_G2_BioBlend_Rigid_Sheet_Trim_in_Designer_White.pdf
-------------------------------	--

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Trim pieces are used to protect the edges of G2 BioBlend® Palladium® Rigid Vinyl sheets and to give edges a clean, continuous appearance

Section 5: General Notes

G2-405 - .040" Thick, 4' x 8' - G2-406 - .060" Thick, 4' x 8' - Provides a continual, seamless look with available accessories including top caps, divider bars and color-matched caulk - Provided in velvet sheet

MANUFACTURER INFORMATION

MANUFACTURER: Inpro
ADDRESS: S80 W18766 Apollo Drive
 Muskego Wisconsin 53150, United States
WEBSITE: www.inprocorp.com

CONTACT NAME: Jess Jenkins
TITLE: Environmental and Technical Project Specialist
PHONE: 2626799010
EMAIL: jjenkins@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.