

HPD UNIQUE IDENTIFIER: 29378

CLASSIFICATION: 06 61 16 Solid Surfacing Fabrications

PRODUCT DESCRIPTION: Get a smooth & clean shower look with our Prism Solid Surface Wall Panels. Prism material is non-porous and inhibits the growth of mold & mildew

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p>Completed in 4 of 4 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ALUMINUM TRIHYDRATE (ATH) [ALUMINUM, TRIHYDRATE NoGS]
POLYESTER RESIN SOLUTION [UNDISCLOSED BM-1 | END | CAN | RES | MUL | REP | SKI | EYE | MAM | DEV | GEN | PHY | NEU | AQU UNDISCLOSED LT-P1 | END | SKI | RES | PHY | EYE | MAM | MUL | AQU | DEV | NEU | CAN] CATALYST [UNDISCLOSED LT-P1 | END | EYE | MAM | | CAN | MUL | AQU UNDISCLOSED LT-P1 | MAM | GEN | MUL | EYE | SKI | NEU | AQU | PHY UNDISCLOSED LT-P1 | END | MUL | | AQU UNDISCLOSED LT-P1 | END | EYE | PHY | | MAM | MUL | DEV | SKI | NEU UNDISCLOSED BM-4 UNDISCLOSED LT-UNK | CAN | RES | MAM | SKI | PHY | MUL | EYE | DEV | AQU] COLORANT [TITANIUM DIOXIDE LT-1 | CAN | END | | MUL | MAM | DEV | AQU | EYE UNDISCLOSED LT-UNK | UNDISCLOSED LT-UNK | UNDISCLOSED LT-UNK | | MUL UNDISCLOSED BM-2 | END | SKI | EYE | MUL | MAM | PHY | DEV | CAN | REP UNDISCLOSED BM-1 | CAN | | MAM | EYE | SKI UNDISCLOSED BM-1 | CAN | EYE | | MUL | MAM]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD covers all Prism Wall Panel products

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2022-07-12</p> <p>PUBLISHED DATE: 2022-07-27</p> <p>EXPIRY DATE: 2025-07-12</p>
--	--	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ALUMINUM TRIHYDRATE (ATH) %: 62.4000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material - there are none to note at this time

OTHER MATERIAL NOTES:

ALUMINUM, TRIHYDRATE

ID: 153337-83-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-25 7:19:57

%: 100.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYESTER RESIN SOLUTION %: 32.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material - there are none to note at this time

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-25 7:54:28

%: 31.4000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	ChemSec - SIN List	Endocrine Disruption
CAN	CA EPA - Prop 65	Carcinogen
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen

CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	MAK	Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - New Zealand	Acute oral toxicity category 4
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H226 - Flammable liquid and vapour [Flammable liquids - Category 3]

MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
PHY	GHS - New Zealand	Flammable liquids category 3
PHY	GHS - Japan	H226 - Flammable liquid and vapour [Flammable liquids - Category 3]
PHY	GHS - Australia	H226 - Flammable liquid and vapour [Flammable liquids - Category 3]
MAM	GHS - Australia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
DEV	MAK	Pregnancy Risk Group C
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
NEU	G&L - Neurotoxic Chemicals	Neurotoxic
NEU	Boyes - Neurotoxicants	Neurotoxic
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
PHY	Québec CSST - WHMIS 1988	Class B2 - Flammable liquids
MAM	GHS - Japan	H332 - Harmful if inhaled [Acute toxicity (inhalation: vapor) - Category 4]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	GHS - Malaysia	H226 - Flammable liquid and vapour [Flammable liquids - Category 3]
MAM	GHS - Malaysia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
NEU	GHS - Australia	H336 - May cause drowsiness or dizziness [Specific target organ toxicity - single exposure; Narcotic effects - Category 3]
MAM	GHS - Japan	H332 - Harmful if inhaled [Acute toxicity (inhalation: dust, mist) - Category 4]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2

EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
REP	US NIH - Reproductive & Developmental Monographs	Clear Evidence of no Adverse Effects - Reproductive Toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Insufficient Evidence for a Conclusion - Developmental Toxicity
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List

SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-25 7:54:58**

%: **2.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 4
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MUL	Québec CSST - WHMIS 1988	Class D2B - Toxic material causing other toxic effects
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - Japan	H402 - Harmful to aquatic life [Hazardous to the aquatic environment (acute) - Category 3]

SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]
SKI	GHS - Australia	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
DEV	MAK	Pregnancy Risk Group C
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
NEU	G&L - Neurotoxic Chemicals	Neurotoxic
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 2
CAN	IARC	Group 3 - Agent is not classifiable as to its carcinogenicity to humans
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitizer - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2]
PHY	Québec CSST - WHMIS 1988	Class B2 - Flammable liquids
MAM	GHS - Japan	H332 - Harmful if inhaled [Acute toxicity (inhalation: vapor) - Category 4]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
SKI	GHS - Malaysia	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
CAN	US EPA - IRIS Carcinogens	(1996, 1999, 2005) Not likely to be carcinogenic to humans
CAN	US EPA - IRIS Carcinogens	(1986) Group E - Evidence of non-carcinogenicity for humans
MAM	GHS - Malaysia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]

ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2021

SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature

CATALYST

%: 3.8000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material - there are none to note at this time

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-25 7:42:43**

%: **42.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - New Zealand	Acute oral toxicity category 4
	EC - CEPA DSL	Persistent
CAN	US EPA - IRIS Carcinogens	(1986) Group D - Not classifiable as to human carcinogenicity
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
AQU	GHS - Japan	H402 - Harmful to aquatic life [Hazardous to the aquatic environment (acute) - Category 3]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2B]
MAM	GHS - Japan	H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]

ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals

SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-25 7:43:27**

%: **34.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	GHS - Korea	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	GHS - Australia	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	GHS - New Zealand	Acute oral toxicity category 4
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - New Zealand	Acute inhalation toxicity category 4
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
MAM	GHS - Australia	H312 - Harmful in contact with skin [Acute toxicity (dermal) - Category 4]
MAM	GHS - Australia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
NEU	Boyes - Neurotoxicants	Neurotoxic
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
MAM	GHS - Japan	H302 - Harmful if swallowed [Acute Toxicity (oral) - Category 4]
PHY	GHS - Japan	H227 - Combustible liquid [Flammable liquids - Category 4]
SKI	GHS - New Zealand	Skin corrosion category 1B
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 4
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]

MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
PHY	GHS - New Zealand	Organic peroxide type E
PHY	GHS - Japan	H241 - Heating may cause a fire or explosion [Organic peroxides - Type B]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:44:00		
%: 20.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters		
	EC - CEPA DSL	Bioaccumulative		
MUL	EC - CEPA DSL	Inherently Toxic in the Environment (iTE)		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
AQU	GHS - Japan	H412 - Harmful to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 3]		
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:44:35		
%: 2.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		

EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MUL	Québec CSST - WHMIS 1988	Class D2B - Toxic material causing other toxic effects
DEV	MAK	Pregnancy Risk Group C
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
NEU	G&L - Neurotoxic Chemicals	Neurotoxic
NEU	Boyes - Neurotoxicants	Neurotoxic
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 2
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
NEU	GHS - Korea	H336 - May cause drowsiness or dizziness [Specific target organ toxicity - Single exposure - Category 3]
PHY	Québec CSST - WHMIS 1988	Class B2 - Flammable liquids
MAM	GHS - Japan	H332 - Harmful if inhaled [Acute toxicity (inhalation: vapor) - Category 4]
MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
NEU	EU - GHS (H-Statements) Annex 6 Table 3-1	H336 - May cause drowsiness or dizziness [Specific target organ toxicity - single exposure; Narcotic effects - Category 3]
PHY	GHS - Korea	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
NEU	GHS - Malaysia	H336 - May cause drowsiness or dizziness [Specific target organ toxicity - single exposure; Narcotic effects - Category 3]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

NEU	GHS - Australia	H336 - May cause drowsiness or dizziness [Specific target organ toxicity - single exposure; Narcotic effects - Category 3]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:45:28		
%: 1.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL		
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:46:11		
%: 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]		
MAM	GHS - Korea	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]		

MAM	GHS - Australia	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	GHS - New Zealand	Acute oral toxicity category 4
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
MAM	Québec CSST - WHMIS 1988	Class D1B - Toxic material causing immediate and serious toxic effects
PHY	Québec CSST - WHMIS 1988	Class E - Corrosive materials
EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
MAM	GHS - Australia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
DEV	MAK	Pregnancy Risk Group C
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 2
CAN	IARC	Group 3 - Agent is not classifiable as to its carcinogenicity to humans
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H302 - Harmful if swallowed [Acute Toxicity (oral) - Category 4]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Korea	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]

MAM	GHS - Australia	H335 - May cause respiratory irritation [Specific target organ toxicity - single exposure; Respiratory tract irritation - Category 3]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
PHY	Québec CSST - WHMIS 1988	Class F - Dangerously reactive materials
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
PHY	GHS - Australia	H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]
AQU	GHS - Korea	H412 - Harmful to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 3]
PHY	Québec CSST - WHMIS 1988	Class C - Oxidizing materials
SKI	GHS - New Zealand	Skin corrosion category 1A
PHY	GHS - Japan	H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids - Category 1]
PHY	GHS - Korea	H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids; Oxidizing solids - Category 1]
PHY	GHS - New Zealand	Oxidising liquids category 1
PHY	GHS - New Zealand	Oxidising liquids category 2
PHY	GHS - New Zealand	Oxidising liquids category 3
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPiI)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2021

SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature

COLORANT

#: 1.7000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered for this material - there are none to note at this time

OTHER MATERIAL NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-25 7:24:23

#: 64.0000 - 74.0000 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
DEV	MAK	Pregnancy Risk Group C
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
AQU	GHS - Japan	H413 - May cause long lasting harmful effects to aquatic life [Hazardous to the aquatic environment (chronic) - Category 4]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2B]
MAM	GHS - Japan	H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL

SUBSTANCE NOTES:

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-25 7:25:51**

%: **28.0000 - 32.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:26:33		
%: 1.0000 - 2.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:27:47		
%: 0.6000 - 0.9000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)		
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:28:26		
%: 0.1500 - 0.3500	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		

EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MUL	EC - CEPA Toxic Substances (Sched 1)	CEPA Toxics
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Australia	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - New Zealand	Acute oral toxicity category 4
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 4
MUL	German FEA - Substances Hazardous to Waters	Class 1 - Low Hazard to Waters
MUL	Québec CSST - WHMIS 1988	Class D2B - Toxic material causing other toxic effects
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H302 - Harmful if swallowed [Acute toxicity (oral) - Category 4]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
PHY	Québec CSST - WHMIS 1988	Class B3 - Combustible liquids
MAM	GHS - Australia	H312 - Harmful in contact with skin [Acute toxicity (dermal) - Category 4]
MAM	GHS - Australia	H332 - Harmful if inhaled [Acute toxicity (inhalation) - Category 4]
DEV	MAK	Pregnancy Risk Group C
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
CAN	IARC	Group 3 - Agent is not classifiable as to its carcinogenicity to humans
MAM	GHS - Japan	H302 - Harmful if swallowed [Acute Toxicity (oral) - Category 4]
PHY	GHS - Japan	H227 - Combustible liquid [Flammable liquids - Category 4]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]

EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
PHY	GHS - New Zealand	Flammable liquids category 4
CAN	US EPA - IRIS Carcinogens	(1996, 1999, 2005) Not likely to be carcinogenic to humans
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2021
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:29:21		
%: 0.0750 - 0.1500	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
	EC - CEPA DSL	Persistent		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
MAM	GHS - Japan	H335 or H336 [Specific target organs/systemic toxicity following single exposure - Category 3]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
CAN	IARC	Group 3 - Agent is not classifiable as to its carcinogenicity to humans		
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-25 7:30:12		
%: 0.0100 - 0.0200	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
EYE	GHS - New Zealand	Eye irritation category 2
	EC - CEPA DSL	Persistent
MUL	Québec CSST - WHMIS 1988	Class D2A - Very toxic material causing other toxic effects
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MUL	EC - CEPA DSL	Inherently Toxic to Humans (iTH)
MAM	GHS - Australia	H373 - May cause damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 2]
ADDITIONAL LISTINGS	AGENCY AND LIST TITLES	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed due to its proprietary nature

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: All
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bc5?page_type=Products%20Catalog

ISSUE DATE: 2009-03-12
EXPIRY DATE: 2023-03-12

CERTIFIER OR LAB: UL

CERTIFICATION AND COMPLIANCE NOTES: Certificate # 6627-420

LCA

Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: All
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bc5?page_type=Products%20Catalog

ISSUE DATE: 2020-04-01
EXPIRY DATE: 2025-03-31

CERTIFIER OR LAB: UL

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FASTFILL CAULK

MANUFACTURER (OR GENERIC): Inpro

HPD URL: No HPD Available

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This product is used to seal joints between wall panels and/or shower receptors. This product is offered in clear or color-coordinated varieties

BOSS® 385 TUB & TILE SILICONE

MANUFACTURER (OR GENERIC): BOSS Products

HPD URL: No HPD Available

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This product is used to waterproof washroom systems

NINJA GLUE HYBRID ACRYLIC SEAMING ADHESIVE

MANUFACTURER (OR GENERIC): American Acrylic Adhesives

HPD URL: No HPD Available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This product is used to adhere wall panels to the wall

Section 5: General Notes

The following sizes are available in 1/4" thickness: Width: 30", 36", 48", 60", Length: 84", 96", 108", 120", 144" - The following sizes are available in 1/2" thickness: Widths: 30" and 36", Lengths: 96", 120" and 144" - Independently tested to withstand greater impact resistance than leading brands (Izod impact, notched test) - National Sanitation Foundation (NSF) certified for splash zones - Class 1A Fire Rated

MANUFACTURER INFORMATION

MANUFACTURER: Inpro
ADDRESS: S80 W18766 Apollo Drive
 Muskego Wisconsin 53150, United States
WEBSITE: www.inprocorp.com

CONTACT NAME: Jess Jenkins
TITLE: Environmental and Technical Project Specialist
PHONE: 2626799010
EMAIL: jjenkins@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.